WAX FOR FLAT HEAD PRINTERS






Very high smudge resistance
Very good printing quality
Excellent receptor multi-compatibility and sensitivity

AWX®FH is a resin enhanced wax ribbon.


Intrinsically, it is the highest performance wax ribbon of the **inkanto** range, enabling it to answer the requirements of all wax applications, including the most demanding ones, with very good resistance.



Printing receptor

papers		synthetics	
Vellum	• • •	PP	• • 0
Coated	• • •	PE	• • 0
Glossy coated	• • •	PET	• • 0


Print resistance



Compliant with the following regulations

REACH / SVHC 1907/2006/EC		
Food Contact 1935/2004/EC		
Heavy metals 2011/65/EU		
California Proposition 65		
Halogen restrictions		

Printer settings



Your ribbon identity			
Colours:	•		
Length (m):			
Width (mm):			
Part number:			
Your distributor:			



WAX FOR FLAT HEAD PRINTERS





Application fields
























Product performance

print quality					
্ৰেছ্য 90°Barcode	75	A _a Small characters	85	Logos	95
ுற 0°Barcode	? 100	্ৰে 2D Barcode	? 100	 Blackness Optical Density by Reflection, measured using a densitometer. 	2,0 odr*
technical resistances					
Heat 212°F		☀ Light/Blue Wool	>7	∆ Solvents	100
♦• Water/Submerge	Q ₁₀₀		55		

Product physico-chemical features

product structure



PET film	Thickness: 4,5 µm		
Ink	Wax		
Melting point		65°C/149°F	
Backcoating		Silicon based	
Coefficient of Friction		Kd < 0.2	
Ribbon thickness		< 9 µm	
The ribbon is anti static build-up treated			

Storage

storage conditions

12 months recommended

20-80 % Humidity Rate, 5-35°C (40-95°F)

Waste management

inkanto rolls and their packaging allow an optimised waste management. For more information please contact ARMOR.

inkanto.

The inkanto benefits













This product is guaranteed for life against any manufacturing defect in normal conditions of use and storage.

Quality commitment

Easy to use with guaranteed product performance: the certificate of conformity for your product can be accessed via the flashcode on the box.

> Easy to identify products:

The inkanto rolls families are identified by color codes. The roll labels highlight the important information about the product.

Your product is delivered with a cleaning wipe To clean the print head and maintain the maximum performance of your printer.

Packing

Consistent packaging units depending on the roll dimensions.

A certified and committed production site



ISO 14001

Quality, health & safety and environmental systems: ISO 9001 OHSAS 18001

ISO 50001 (France only)



Responsible Care

The charter of the International Council of Chemical Associations for improvements in health & safety and the environment.



Global Compact

UN initiative inviting companies to apply fundamental ethical and environmental values.